




Certificate of Analysis



Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: 12042501
Lot Number: 120425
Description: Finely ground plant material
Condition: Good
Job ID: ISO05747
Sample ID: I15924
Received: 11DEC2025
Completed: 17DEC2025
Issued: 18DEC2025

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 17DEC2025 | 2214

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.46	w/w%	0.0056	N/A
7-Hydroxymitragynine	Report Results	0.0110	w/w%	0.0015	N/A
Paynantheine	Report Results	0.268	w/w%	0.0056	N/A
Speciogynine	Report Results	0.208	w/w%	0.0056	N/A
Speciociliatine	Report Results	0.422	w/w%	0.0056	N/A
Total Mitragyna Alkaloids	Report Results	2.37	w/w%	0.0056	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 16DEC2025 | 1000

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.235	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.011	ug/g	0.002	PASS
Mercury	NMT 0.20	0.011	ug/g	0.002	PASS
Lead	NMT 5.00	0.641	ug/g	0.002	PASS

Microbiological Examination

Method Code: T005

Tested: 15DEC2025 | 1114

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	530	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	40	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Additional Report Notes

N/A

Revision History

Report ID: 1bca147b-c525-4b37-ba7f-2b91dd13ae6f
rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:

Tyler West

Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

18DEC2025